# mainstation®

Wireless Bluetooth<sup>®</sup> Receiver Apple<sup>®</sup> <sup>30-pin Connector</sup>

## MODEL: MS-B1 Connects directly to iPod, iPhone & iPad docks

#### **FEATURES**

- » **Converts** most iPod, iPhone, and iPad charging docks or Apple<sup>®</sup> composite A/V charging cables into wireless Bluetooth Receivers.
- » Enables wireless playback of music from your Bluetooth-capable device.
- » Supports Bluetooth 2.1+EDR and Bluetooth 2.0, 1.2, and 1.1 backward compatibility.

MS-B1

CO ELUEROTH RECEIVER

- » Supports Bluetooth Advanced Audio Distribution Profile (A2DP), AVRCP.
- » BQB (Bluetooth Qualification Board) Qualified
- » **Compatible** with most docking stations and speaker docks. Docks must utilize the Apple<sup>®</sup> analog audio stream.

#### SPECIFICATIONS:

#### Current Draw: 40mA

S/N Ratio: >90dB

**Operating Range:** 10m to 20m (33ft-66ft) depending on environment

Modulation: GFSK, 1Mbps, 0.5BT Gaussian


Frequency: 2402MHz to 2480MHz

Sample Rate: 48kHz

Supports A2DP (Advanced Audio Distribution Profile)

and AVRCP (Audio/Video Remote Control Profile)

Dimensions (WxHxD) - 48 x 25 x 8mm (1-7/8" x 1" x 5/16")



•MS-B1 Bluetooth Receiver

MS-D1 Dock

Connect any

Bluetooth-capable device wirelessly

YEAR Limited Warranty

(not included)

 DEM SYSTEMS COMPANY

 (775) 355-0405
 • (800) 291-0561 FAX


 www.oemsystems.com
 • info@oemsystems.com








iPod, iPhone and iPad are trademarks of Apple Inc., registered in the U.S. and other countries.



## **HOW TO CONNECT:**

IW-SYS3 to the MS-D1 (iPod, iPhone, iPad Docking Station)

### with an In-Wall RCA Jack Plate



iPod, iPhone and iPad are trademarks of Apple Inc., registered in the U.S. and other countries. The Bluetooth® word mark and logos are registered trademarks of Bluetooth SIG, Inc.